






1. IDENTIFICATION									
Product Name Registration		BioMERS™		Manufacturer Address		Micrylium Laboratories Inc. 5000M Dufferin Street, Toronto, Canada, M3H 5T5 www.micrylium.com			
		CAN DIN	02210711						
		US FDA	D142278						
Indication		Immersion disinfectant / cleaner		Phone		416-667-7040			
				Fax		416-667-0071			
Emergency Phone #		CHEMTREC		1-800-424-9300		CANUTEC		1-613-996-6666	
2. HAZARD IDENTIFICATION									
Symbol Pictogram				Signal Word		Warning			
				Symbol		Flame			
Hazard Classification		Flammable Liquid Category 3							
Health Hazard		Use Care (See Precautionary and Hazard Statements)				Environmental Hazards		Biodegradeable ( OECD 301D)	
Precautionary & Hazard Statements		P102: Keep out of reach of children.				H226: Flammable liquid and vapour.			
		P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.				H302: Harmful if swallowed.			
		P301: IF SWALLOWED: Drink large quantities of water or milk.				H317: May cause an allergic skin reaction.			
		P305: IF IN EYES: Flush eyes with large quantities of water.				H336: May cause drowsiness or dizziness.			
3. COMPOSITION									
Chemical			CAS #		LD-50 (Oral, mg/kg) - Rat		Concentration (%)		
Ethanol			64-17-5		7,060		70.0%		
Chlorhexidine Gluconate			18472-51-0		2,000		0.2%		
4. FIRST AID MEASURES									
Inhalation		If breathing is difficult, remove individual to fresh air.			Ingestion		Drink large quantities of milk or water. Do not induce vomiting.		
Skin Contact		May cause dryness or irritation with prolonged contact.			Eye Contact		Flush with plenty of water.		
Most Important Symptoms and Effects (Acute and Delayed)									
May cause acute mild drowsiness, respiratory and/or eye irritation.									
Indication of any Immediate Medical Attention and Special Treatment Needed									
Not Applicable.									
5. FIREFIGHTING MEASURES									
Use dry chemical, foam, or CO <sub>2</sub> . Use water spray to disperse vapours if needed. <b>Firefighters:</b> As with any fire, wear self-contained breathing apparatus.									
6. ACCIDENTAL RELEASE									
Use all means to prevent spillage. No other specific measures are necessary, provided vapours are not permitted to build up.									
7. HANDLING & STORAGE									
Store in a cool, dry, well-ventilated location. Keep away from heat, sparks and flames. DO NOT mix with bleach or peroxides. Storage and Transport: 0° - 30°C									
8. EXPOSURE CONTROLS/ PERSONAL PROTECTION									
Respiratory protective equipment may be required if vapours are not permitted to escape. No other specific measures required.									
Component		ACGIH TLV		OSHA PEL		NIOSH		CCHOS	
Ethanol		STEL: 1000 ppm		(Vacated) TWA: 1000 ppm (Vacated) TWA: 1900 mg/m3		IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m3		TWA: 1000 ppm TWA: 1900 mg/m3	
9. PHYSICAL AND CHEMICAL PROPERTIES									
Physical State		Colour	Odour	Solidification point	Boiling point OECD 103	Flash Point ASTM D56	Density g/ml @ 25°C	pH	Kinematic Viscosity@ 23°C
Transparent, Liquid		Orange	Orange,Peppermint, Eucalyptus	-25°C	81°C	23°C	.864	9.5	2.24 mm²/s
10. STABILITY AND REACTIVITY									
Stable under normal conditions. <b>Incompatibility:</b> Strong oxidants, acid chlorides, silver salts <b>Decomposition:</b> Products: CO <sub>2</sub> , CO									
11. TOXICOLOGICAL DATA									
Acute Dermal Toxicity		LD <sub>50</sub> >5000 mg/kg Not found to be dermal sensitizer			Acute Oral		LD <sub>50</sub> >5000 mg/kg		
Ocular Irritation		0.0 severity after 7 days			Acute Inhalation Toxicity		LC <sub>50</sub> : 2.3 mg/L Rat		
Reproductive Hazards		Ingestion/inhalation can be harmful. (TDLo 300mg/Kg Ethanol)			Carcinogenicity		Ingestion of Ethanol IARC Group1.		
Tests Performed by Product Safety Labs, Dayton, NJ USA									
12. ECOLOGICAL INFORMATION									
Surfactants are readily biodegradable in soil and water. Persistence unlikely based on available data.									
Ethanol		EC50 (72h) = 275 mg/L (Chlorella vulgaris)		Fathead minnow (Pimephales promelas) LC50 = 14200 Mg/L/96h		Photobacterium Phosphoreum: EC50 = 34634 Mg/L/30 min Photobacterium Phosphoreum: EC50 = 35470 Mg/L/5 min		EC50 = 9268 mg/L/48h EC50 = 10800 mg/L/24h	
13. DISPOSAL CONSIDERATIONS									
Domestic. Dilute 4:1 with water. This product is flammable.									
14. TRANSPORT INFORMATION									
Emergency Response Guide #127									
	Land			Sea			Air (IATA)		
	Hazard Class 3			Hazard Class 3			Hazard Class 3		
	UN 1170 Packaging Group III			UN 1170 Packaging Group III			UN 1170 Packaging Group III		
		Limited Quantity 5L 		Limited Quantity 5L 		Limited Quantity 1L 			
15. REGULATORY INFORMATION									
TSCA – No reporting required.					CERCLA – No hazardous pollutants or ozone depletion.				
16. OTHER INFORMATION									
The information and recommendations contained herein are based on information believed to be correct. It is offered in good faith, without guarantee. Micrylium Laboratories Inc. make no warranty expressed or implied.									
Effective Date: 2025/10/31							Document: MERS 2.0		